





- △ HOUSING: NYLON, BLACK.
PERIPHERAL SEAL: ELASTOMER, GRAY.
THREADED INSERTS: BRASS.
2. CAVITY IDENTIFICATION ON FRONT AND REAR FACE.
3. WILL ACCEPT (16) MULTIMATE PIN CONTACTS.
- △ HOUSING: NYLON, BLUE.
PERIPHERAL SEAL: ELASTOMER, GRAY.
THREADED INSERTS: BRASS.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI






RECOMMENDED PANEL CUTOUT

△ OBSOLETE	△ 4	STANDARD	NO	YES	206036-9
	△ 4	STANDARD	YES	NO	206036-8
	△ 4	SMALL PACK	NO	NO	206036-7
	△ 4	STANDARD	NO	YES	206036-4
	△ 4	STANDARD	NO	NO	206036-1
MATERIAL		PACKAGING	4-40 THREADED INSERTS	PERIPHERAL SEAL	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN D. GELTZ CHK R. STONE APVD A. FRANTUM	TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± -		PRODUCT SPEC	
		1 PLC ± -		108-10024	
		2 PLC ± 0.13 [.005]		APPLICATION SPEC	
MATERIAL		FINISH		RESTRICTED TO	
-		-		-	
CUSTOMER DRAWING			SCALE	2:1	SHEET 1 OF 3 REV R2

LOC		DIST		REVISIONS					
FT		0		P	LTR	DESCRIPTION	DATE	DWN	APVD
					—	SEE SHEET 1	—	—	—

- NOTES:
- CAVITY IDENTIFICATION ON FRONT AND REAR FACE.
 - WILL ACCEPT (3) TYPE XII PIN CONTACTS.
 - HOUSING: NYLON, BLACK.
PERIPHERAL SEAL: ELASTOMER, GRAY.



RECOMMENDED PANEL CUTOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± 0.13 [.005]

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH -

MATERIAL

-

DWN

D. GELTZ

07/27/93

CHK

R. STONE

7-22-93

APVD

A. FRANTUM

8-12-93

PRODUCT SPEC

108-10024

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

NAME

RECEPTACLE HOUSING, STD SEX, SHELL SIZE 17, CPC

SIZE

A1

CAGE CODE

00779

DRAWING NO

206036

RESTRICTED TO

-

SCALE

2:1

SHEET

2

OF

3

REV

R2

TE Connectivity

206036-2

PART NUMBER



NOTES:

1. CAVITY IDENTIFICATION ON FRONT AND REAR FACE.

2. WILL ACCEPT (16) MULTIMATE PIN CONTACTS.

3 HOUSING: NYLON, BLACK.
PERIPHERAL SEAL: ELASTOMER, GRAY.

4 HOUSING: POLYESTER, PBT, BLACK.
PERIPHERAL SEAL: ELASTOMER, GRAY.



OBSOLETE	4	NO	1-206036-3
	3	YES	206036-5
	3	NO	206036-3
MATERIAL		PERIPHERAL SEAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. GELTZ CHK R. STONE APVD A. FRANTUM	07-27-93 7-22-93 8-12-93	TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± -		PRODUCT SPEC	
		1 PLC ± -		108-10024	
		2 PLC ± 0.13 [.005]		APPLICATION SPEC	
MATERIAL		FINISH		RESTRICTED TO	
-		-		-	
CUSTOMER DRAWING		SCALE		SHEET	
		2:1		3 OF 3	
				REV	
				R2	