

Product Change Notification

Topic NORA-B10 series length tolerance
UBX-22038370 C1-Public
Author Len Albertsson
Date 9 December 2022

Copying, reproduction, modification or disclosure to third parties of this document or any part thereof is only permitted with the express written permission of u-blox. The information contained herein is provided "as is" and u-blox assumes no liability for its use. No warranty, either express or implied, is given, including but not limited, with respect to the accuracy, correctness, reliability and fitness for a particular purpose of the information. This document may be revised by u-blox at any time. For most recent documents, visit www.u-blox.com.
Copyright© u-blox AG.

1 Affected products

Product name	Ordering code	Type number	Software	Remarks
NORA-B100	NORA-B100-00B	NORA-B100-00B-00	N/A – Open CPU	
NORA-B101	NORA-B101-00B	NORA-B101-00B-00	N/A – Open CPU	
NORA-B106	NORA-B106-00B	NORA-B106-00B-00	N/A – Open CPU	

2 Type

- | | |
|---|--|
| <input type="checkbox"/> Product status change | <input checked="" type="checkbox"/> Documentation update |
| <input checked="" type="checkbox"/> Hardware change | <input type="checkbox"/> Certification information |
| <input type="checkbox"/> Software update | <input type="checkbox"/> Security advisory |
| <input type="checkbox"/> Label change | <input type="checkbox"/> Other |

3 Description of change

The specification of the upper length tolerance for NORA-B1 series modules will increase by 0.15 mm from 14.3 +/-0.2 mm to 14.3 +0.35/-0.2 mm due to a modified PCB separation process. The lower tolerance and the nominal length value remain unchanged. There is no impact to any function or performance of the product.

The NORA-B1 data sheet [1] has been updated to reflect the new length tolerance value, in document revision R10.

4 Schedule

The change is effective from April 1, 2023.

5 Customer impact and recommended action

Customers are advised to review this change related to their design.

6 Related documentation

[1] NORA-B1 data sheet, [UBX-20027119](#)