

Preliminary

1575.42 MHz GPS Active Antenna



Key Features:

Center Frequency: 1575.42 MHz (+/-3 MHz)

High Gain: 27 dB Low Noise Figure 1.5 dB

Single DC Supply: 12 mA @ +3 to +5V

Package: Magnetic mount, 3 meter cable, SMA male

Built-in Functions Built-in filter, Bias-T



Product Specifications¹: (at +25°C)

Testing Item	Test Condition	Min	Nom	Max	Unit
Antenna Specifications					
Center Frequency (Fo)		1572.42	1575.42	1578.42	MHz
Frequency Bandwidth (BW			+/- 5		MHz
VSWR	1575.42 MHz		1.5:1		
Off Band Attenuation	Fo +/- 100 MHz	30			dB
Impedance			50		ohms
Peak Gain	Based on 7x7 cm ground plane	30			dBic
Gain Coverage	-90° < 0 < +90°(over 75% Volume)	-4			dBic
Polarization			RHCP		
LNA Specifications					
Gain (G)	1575.42 MHz		27		dB
Noise Figure (NF)	1575.42 MHz		1.5		dB
VSWR	1575.42 MHz			2.0:1	
DC Voltage		2.7		5.3	V
DC Current			12	15	mA
Environmental Specificat	tion				
Working Temperature		-40		+85	оС
Storage Temperature		-40		+100	οС
Vibration	Sine sweep (0-pk) 10~50~10 Hz each axis		1		g
Humility		95%		100%	RH
Weatherproof			100%		
MTBF			TBD		
Mechanical Specification					
Weight				100	gram
Size			50x39x16		mm
Cable			3		meters
Connector			SMA		
Mounting		•	Magnetic base	•	
Color			Black	<u> </u>	

Available exclusively from Richardson RFPD - 800-737-6937 (U.S. & Canada) - 630-208-2700 (International) Or visit www.richardsonrfpd.com. See important product notice on last page of this document.

Internal Richardson Document #	Origination Date:	Rev: 2P	Daga 1/2	
	November 2005	Date: March 2011	Page 1/3	


¹ Specifications are subject to change without notice

RANG001312G




Preliminary

Outline Drawing (in mm)



Block Diagram



Ordering Information

Part Number	RANG001312G

Available exclusively from Richardson RFPD - 800-737-6937 (U.S. & Canada) - 630-208-2700 (International)
Or visit www.richardsonrfpd.com. See important product notice on last page of this document.

RANG001312G



Preliminary

Richardson RFPD, Inc.

40W267 Keslinger Road P.O. Box 307

LaFox, IL 60147

Telephone: (800) 737-6937

(630) 208-2700 (630) 208-2662

Fax: (630) 208-2662 Internet: www.richardsonrfpd.com

IMPORTANT NOTICE

RICHARDSON RFPD, INC. AND ITS AFFILIATES RESERVE THE RIGHT TO MAKE CHANGES TO THE PRODUCT(S) OR INFORMATION CONTAINED HEREIN WITHOUT NOTICE. RICHARDSON RFPD, INC. ASSUMES NO RESPONSIBILITY FOR ANY ERRORS WHICH MAY APPEAR IN THIS DOCUMENT.

WARRANTY INFORMATION APPLICABLE TO THE PRODUCT IDENTIFIED HEREIN IS AVAILABLE UPON REQUEST. NOTHING CONTAINED HEREIN SHALL CONSTITUTE A WARRANTY, REPRESENTATION OR GUARANTEE OF ANY KIND. RICHARDSON RFPD, INC. EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS AND/OR IMPLIED INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY, AND OF FITNESS FOR A PARTICULAR PURPOSE, USE OR APPLICATION.

NO PART OF THIS DOCUMENT MAY BE COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN CONSENT OF RICHARDSON RFPD, INC.

WARNING

RICHARDSON RFPD, INC. PRODUCTS ARE NOT INTENDED FOR USE IN LIFE SUPPORT APPLIANCES, DEVICES OR SYSTEMS. USE OF A RICHARDSON RFPD, INC. PRODUCT IN ANY SUCH APPLICATION WITHOUT WRITTEN CONSENT IS PROHIBITED.

Available exclusively from Richardson RFPD - 800-737-6937 (U.S. & Canada) - 630-208-2700 (International) Or visit www.richardsonrfpd.com. See important product notice on last page of this document.