Stripping and Preparation Tools

CABLE DEVIL™ PREPARATION TOOL (RFA-4420)



As shown in our N Connector Installation Kit, page 87



Replacement
Blades
RFA-4420-RB



- Durable plastic body
- Fits comfortably in either hand
- Integrated bevel tool
- Long-lasting reversible teeth
- Cleans away jacket and dielectric without scoring
- Scrapes bonded dielectric from center conductors
- Bevels and removes burrs from center conductor with one twist



Before deburring







CABLE STRIPPER FOR LMR-400 SIZE CABLE (RFA-4400 Series)



As shown in our N Connector Installation Kit, page 87



RFA-4400 series

- Ergonomic design
- Cut jacket, braid & dielectric in one step
- Tool steel twin blades in easily replaced cartridges
- Cartridges configured for specific LMR-400 cable connectors
- No guesswork
- Cartridges interchangeable within series



Tool	Replacement Cartridge	For Cable Size	Connector Part Number	Connector Description
RFA-4400-01 Handle with installed cartridge	RFA-4400-01C (3 pc crimp connector) 2.2mm (.09 in.) 8.3 (.33 in.)	LMR-400	RFN-1006-3E	3 piece Male Crimp Plug for RG-8/U
		LMR-400	RFN-1006-3I	3 piece Male Crimp Plug for Belden 9913 & Times LMR-400
		LMR-400	RFN-1006-I	3 piece Male Crimp Plug for Belden 9913 & Times LMR-400
		LMR-400	RFN-1006-PL	3 piece Male Crimp Plug for Belden 89913 Plenum
		LMR-400	RFN-1028	3 piece Female Crimp Jack for RG-8/U
		LMR-400	RFN-1028-I	3 piece Female Crimp Jack for Belden 9913 & Times LMR-400
RFA-4400-02 Handle with installed cartridge	RFA-4400-02C (2 pc crimp connector) 5.2 mm (.20 in.)	LMR-400	RFN-1006-8I	2 piece Male Crimp Plug for Belden 9913 & Times LMR-400
		LMR-400	RFN-1006-9I	2 piece Male Crimp Plug for Belden 9913 & Times LMR-400
		LMR-400	RFN-1009-I	2 piece Male Right Angle Crimp Plug for Belden 9913 & Times LMR-400

Contact us for more information on the LMR-600

Strippers—continued

WE'VE GOT THE STRIPPING TOOLS FOR YOUR APPLICATIONS

with fixed blades

COAX STRIPPING TOOL WITH FIXED BLADES (RFA-4086 Series)

Features:

- Part number indicates blade cartridge (see below)
- Easy insert, close and rotate process
- Stripping length: 4mm to 12 mm
- All strippers fit RG-6/U, 58/U, 59/U and 142/U
- Replaceable blades
- For left or right hand use




NOTE: This tool is designed to produce the primary cuts. You will need to refer to the strip length dimensions on our drawing and manually adjust the final cuts accordingly.

adjustable




REPLACEMENT BLADE RFA-4086-R03




TWO STEP (2 BLADES) RFA-4086-006





TWO STEP (2 BLADES) RFA-4086-008

REPLACEMENT BLADE RFA-4086-R08



TWO STEP (2 BLADES) RFA-4086-012

REPLACEMENT BLADE RFA-4086-R12

COAX STRIPPING TOOL WITH ADJUSTABLE BLADES (RFA-4087)



NOTE: This tool is designed to produce the primary cuts. You will need to refer to the strip length dimensions on our drawing and manually adjust the final cuts accordingly.

Features:

- Die cast zinc body
- Adjustable blade
- Two or three step stripping
- 9.25mm to 10.8mm (.364 to .425 inches) Cable jacket diameter
- For RG-8, 11, 213, 214/U, 9913 AND 9914
- Perfect for larger coax stripping needs



Replacement blades (6 per package) RFA-4087-R14

3. 2. 1.





Adjust to meet your stripping dimensions.



Give it a twirl!

Easily remove self-stored wrench.

Strippers—continued

WIRE STRIPPERS (RFA-4213 & RFA-4214)

RFA-4213 — for AWG 14, 16, 18 and 24 RFA-4213 — for AWG 10, 12, 14, 16 and 20



WIRE STRIPPERS AND CUTTERS (RFA-4215 & RFA-4216)



For AWG 10 to 22



For AWG 20 to 30

TERMINAL CRIMPER (RFA-4208)

- Open barrel tool
- For stamped, D-sub, and double D high density, miniature contacts



RFA-4208

TERMINAL CRIMPER WITH WIRE CUTTER (RFA-4209)

- Crimper / cutter combination tool
- Crimps insulated & non-insulated terminals



IMPACT PUNCHDOWN TOOL (RFA-4210)

- Enables fast, uniform connections
- Seats & terminates shielded or unshielded twisted pair cables
- Rapidly change between 110 and 66 industry standard block termination blades
- Ergonomic design reduces hand fatigue during prolonged use
- Single-push, spring-loaded mechanism triggers blade at just the right point to seat and cut wire to size
- Adjustable impact levels for different gauge cables
- Blades with protection caps included
- Spare blade cartridge housed in tool body, easily removed
- One end for terminating and cutting, other end for terminating only



Modular Handtools

FOR MODULAR INSTALLATION

TELEPHONE MODULAR TOOLS (RFA-4201 & RFA-4202)

- Connect modular voice/data plugs
- To 4, 6, and 8 conductor wire
- Combined crimping, stripping and cutting in one tool
- Crimp RJ-45, RJ-11, RJ-12 & handset plugs





TELEPHONE MODULAR TOOLS (RFA-4211 & RFA-4212)

- Connect modular voice/data plugs
- To 4, 6, and 8 conductor wire,
- Combined crimping, stripping and cutting in one tool
- Crimp RJ-45, RJ-11, RJ-12 & handset plugs



The **RFA-4211** accommodates 4 (4P/4C - Handset) and 6 (6P/6C RJ-12 and 6P/4C RJ-11) position modular telephone plugs.



The **RFA-4212** accommodates 6 (6P/6C RJ-12) and (6P/4C RJ-11) and 8 (8P/8C RJ-45) position modular telephone plugs.