


3. PACKAGING: A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED "AMPHENOL RF, 95-902-492-XXX, AND DATE CODE"

B. FREQUENCY RANGE: DC - 3 GHz
C. VSWR: I.2I:I MAX @ DC - 3 GHZ
D. DIELECTRIC WITHSTANDING VOLTAGE: 200 VRMS, MIN.

4, AMC IS INTERMATABLE WITH U.FL.



RECOMMENDED PCB MOUNTING HOLE

[.07]

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ± 0.05mm ±0.1mm ±0.2mm ± 0.3mm ±1°	MATERIAL	DRAWN S.DUAN	DATE 22 - Jun - 18	TITLE CABLE ASSY, SMA JACK	Amphenol RF
NOTICE - These drawings, specifications, or other data (1) are, and remain the	SEE NOTES	ENGINEER	DATE	TO AMC 1.13 CABLE	www.amphenolrf.com
property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they	REFERENCE	N.BUDRIS	- Jun - 8	TO MING T. TO CABLE	www.diiphenofff.com
are given by Amphenol Corp. the furnishing of these drawings, specifications, or		APPROVED	DATE		DRAWING NO. 95-902-492-XXX
other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting	REF: 95-902-44847	S.HSIEH	25 - Jun - 18	SCALE: 4.0:1.0 SHEET 2 OF 2	
I rights to permitting such holder or any other person to manufacture, use or sell	CONFIGURATION LEVEL: In Work	CAD FILE		DWG SIZÉ REV	- ITEM NO. 95-902-492-XXX
related to or disclosed by said drawings, specifications, or other data.	FINISH			В А	PART NO. 95-902-492-XXX