

RF CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

SMB Str PCB Skt 500hm Gold Plt

Subminiature Coax

1-1337482-0

TE Internal Number: 1-1337482-0

EU RoHS Compliant with Exemptions EU ELV Compliant with Exemptions

Connector Interface SMB

Connector Style Jack

Mated Outer Diameter (Approximate) 4.75 mm [.187 in]

Impedance (Ω) 50

Sealable No



PRODUCT DRAWING

English



★ 3D PDF

DOCUMENTATION

Product Drawings

SMB STRAIGHT PCB SOCKET 50 OHM

PDF

English

CAD Files

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

3D

Customer View Model	
3D_STP.ZIP	
English	
Catalog Pages/Data Sheets	
1-1773725-8_RF_COAX_QRG	
PDF	
English	
Product Environmental Compliance	
TE Material Declaration	
MD_1-1337482-0_01192015117_dmtec PDF	
English	
FEATURES	+
Please review product documents or contact us for the latest agency approval information.	
Please Note: Use the Product Drawing for all design activity.	
Product Type Features	
Connector Interface SMB	
Connector Style Jack	
Sealable No	
Connector & Contact Terminates To Printed Circuit Board	
Configuration Features	
PCB Mounting Orientation Vertical	
Electrical Characteristics	
Impedance (Ω) 50	
Body Features	
Body Material Brass	
Body Plating Material Gold	
Body Shape Square	
Contact Features	
Center Contact Plating Material Gold	
Center Contact Material Brass	
Connector Product Type Connector Assembly	
Dimensions	

Customer View Model

3D_IGS.ZIP

English

Mated Outer Diameter (Approximate) 4.75 mm [.187 in] Height above PCB 11.4 mm [.449 in] PCB Thickness (Recommended) 3.2 mm [.126 in] **Length** 11.4 mm [.449 in] Mounting Post Length 3.89 mm [.153 in] Packaging Features **Packaging Method** Tray Packaging Quantity 100 Other **Dielectric Material PTFE Additional Features** Board Standoff **Grade** Professional **PRODUCT COMPLIANCE** Statement of Compliance **Statement of Compliance** PDF