

RF CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

BNC Str Plg PS 750hm Silver URM70

Miniature Coax | PKG , STA

1-1478408-0

TE Internal Number: 1-1478408-0

EU RoHS Compliant with Exemptions EU ELV Compliant with Exemptions

Connector Interface BNC

Connector Style Plug

Mated Outer Diameter (Approximate) 14.529 mm [.572 in]

Impedance (Ω) 75

Cable Type URM 70



PRODUCT DRAWING

English



★ 3D PDF

DOCUMENTATION

Product Drawings

BNC STRAIGHT PLUG SOLDER (PS) 75 Ohm URM70

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

| English | |
|--|---|
| Customer View Model | |
| 3D_STP.ZIP | |
| English | |
| Instruction Sheets | |
| Instruction Sheet (non U.S.) | |
| GREENPAR RF CONNECTOR CABLE ASSEMBLY INSTRUCTION SHEET | |
| PDF English | |
| GREENPAR RF CONNECTOR CABLE ASSEMBLY INSTRUCTION SHEET | |
| TIF | |
| English Control of the Control of th | |
| FEATURES | + |
| | |
| Please review product documents or contact us for the latest agency approval information. | |
| Please Note: Use the Product Drawing for all design activity. | |
| Product Type Features | |
| Connector Interface BNC | |
| Connector Style Plug | |
| Sealable No Connector & Contact Terminates To Wire & Cable | |
| | |
| Configuration Features | |
| Number of Positions 1 | |
| Electrical Characteristics | |
| Impedance (Ω) 75 | |
| Body Features | |
| Cable Connector Orientation Straight | |
| Body Material Brass | |
| Body Plating Material Silver | |
| Contact Features | |
| Center Contact Plating Material Silver | |
| Center Contact Material Brass | |
| Termination Features | |
| Termination Method to Wire & Cable Clamp, Solder Terminal | |

Customer View Model

3D_IGS.ZIP

| Dimensions | |
|---|---|
| Mated Outer Diameter (Approximate) 14.529 mm [.572 in] | |
| | |
| Usage Conditions | |
| | |
| Cable Type URM 70 | |
| | |
| Operation/Application | |
| Operating Frequency (GHz) 2 | |
| | |
| Packaging Features | |
| Packaging Method Box | |
| Packaging Quantity 50 | |
| | |
| Other | |
| Dielectric Material PTFE | |
| Gasket Material Silicone Rubber Coupling Nut Material Brass | |
| Grade Professional | |
| | |
| PRODUCT COMPLIANCE | + |
| | |
| Statement of Compliance | |
| Statement of Compliance | |
| PDF | |
| | |
| | |
| | |
| | |