




+ CONNECTORS
RF CONNECTORS



✓ Active

TE CONNECTIVITY (TE)
3052 1201 02
AMP

1057289-1
TE Internal Number: 1057289-1
Alias ID: 3052-1201-02

EU RoHS Compliant with Exemptions
EU ELV Compliant with Exemptions

Connector Interface N Type
Connector Style Jack

Mated Outer Diameter (Approximate) 19.05 mm [.75 in]
Impedance (Ω) 50
Operating Frequency (GHz) 11

↓ PRODUCT DRAWING
English

↓ 3D PDF

DOCUMENTATION

Product Drawings

OSN 4 HOLE FLANGE MOUNT JACK RECEPTACLE
PDF (TIFF AVAILABLE)
English

CAD Files

3D PDF
PDF
3D

Customer View Model
2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Interface N Type
Connector Style Jack
Connector & Contact Terminates To Printed Circuit Board

Configuration Features

PCB Mounting Orientation Vertical

Electrical Characteristics

Impedance (Ω) 50

Body Features

Body Material Stainless Steel
Body Finish Passivated

Contact Features

Center Contact Plating Material Gold
Center Contact Material Beryllium Copper
RF Connector Contact Configuration Not Captivated

Mechanical Attachment

Panel Mount Retention Type Square Flange
Panel Attachment Style Front Mount

Dimensions

Mated Outer Diameter (Approximate) 19.05 mm [.75 in]

Operation/Application

Operating Frequency (GHz) 11

Packaging Features

Packaging Method Package

Other

Dielectric Material TFE Fluorocarbon
Grade Commercial

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance
PDF