

RF CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

TNC PLUG DUAL W/P TR

Miniature Coax | TBC Plus

5225555-5

TE Internal Number: 5225555-5

EU RoHS Compliant with Exemptions EU ELV Compliant with Exemptions

Connector Interface TNC

Connector Style Plug

Mated Outer Diameter (Approximate) 16.256 mm [.64 in]

Impedance (Ω) 50

Cable Type RG 141, RG 141A



PRODUCT DRAWING

English



→ 3D PDF

DOCUMENTATION

Product Drawings

PLUG, DUAL CRIMP, TNC

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

| 3D_IGS.ZIP English | |
|---|---|
| Customer View Model | |
| 3D_STP.ZIP English | |
| | |
| FEATURES | + |
| | |
| Please review product documents or contact us for the latest agency approval information. | |
| Please Note: Use the Product Drawing for all design activity. | |
| Product Type Features | |
| Connector Interface TNC | |
| Connector Style Plug Connector & Contact Terminates To Wire & Cable | |
| Connector & Contact Terminates To Wire & Cable | |
| Electrical Characteristics | |
| Impedance (Ω) 50 | |
| Body Features | |
| Cable Connector Orientation Straight | |
| Body Material Brass | |
| Body Plating Material Nickel | |
| Contact Features | |
| Crimp Type Dual | |
| Center Contact Plating Material Gold | |
| Termination Features | |
| Termination Method to Wire & Cable Crimp | |
| Dimensions | |
| Mated Outer Diameter (Approximate) 16.256 mm [.64 in] | |
| Usage Conditions | |
| Cable Type RG 141, RG 141A | |
| Packaging Features | |
| Packaging Method Carton | |
| | |
| Other | |
| Dielectric Material PTFE Grade Military | |
| • | |

Customer View Model

| PRODUCT COMPLIANCE | |
|--------------------|--|
| PRODUCT CONFLIANCE | |

Statement of Compliance

Statement of Compliance

PDF