

#### **BOX MOUNT D-SUB CONNECTORS**



✓ Active

TE CONNECTIVITY (TE)

# RECEPT ASSY, SZ 1, AMPLIMITE

AMPLIMITE | AMPLIMITE

204500-1

TE Internal Number: 204500-1 Mil-Spec: M24308/2-286F

Not EU RoHS Compliant Not EU ELV Compliant

**Connector Style** Receptacle

**Number of Positions** 15

Power/Signal/Coax Combination No

Shell Size 1

Contact Style Crimp Snap-In



**PRODUCT DRAWING** 

English



◆ 3D PDF

### **DOCUMENTATION**

**Product Drawings** 

## RCPT ASSY, AMPLIMITE, SIZE 1,15 POSN, SERIES 90

PDF

**English** 

**CAD Files** 

### **Customer View Model**

3D\_STP.ZIP

**English** 

### **Customer View Model**

3D\_IGS.ZIP

**English** 

Customer View Model  2D_DXF.ZIP  English	
3D PDF PDF English	
Product Environmental Compliance	
REACH Substance Communication Document	
RSCD_Cadmium	
PDF  English	
Instruction Sheets  Instruction Sheet (U.S.)	
AMPLIMITE High Density 22 (HD-22) Connectors	
PDF	
English	
FEATURES	+
Please review product documents or contact us for the latest agency approval information.	
Please Note: Use the Product Drawing for all design activity.	
Product Type Features	
Connector Style Receptacle Shell Size 1	
Blindmate No	
Product Type Connector	
Configuration Features	
Number of Positions 15	
Power/Signal/Coax Combination No	
Body Features	
Non-Magnetic No	
Shell Material Steel Shell Plating Material Cadmium	
Retention Clip Material Stainless Steel	
Contact Features	
Contact Features  Contact Style Crimp Snap-In	
Contact Size 22	
Contact Type Socket	
Mechanical Attachment	

Mounting Hole Diameter 3.05 mm [.12 in ]	
Operation/Application	
ULTRA-LITE Connector No	
Industry Standards	
NASA Qualification No	
Packaging Features	
Packaging Method Carton	
Other	
Comment "F" is stamped on connectors following M24308 part number as required. "F" designates cadmium shel sockets supplied with receptacles are loose piece.	l plating., Size 22
Statement of Compliance	
Statement of Compliance	