

BOX MOUNT D-SUB CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

AMPLIMITE, ASY, PLUG, STD, 109, 2

AMPLIMITE | AMPLIMITE

205164-1

TE Internal Number: 205164-1 Mil-Spec: M24308/4-260F

Not EU RoHS Compliant Not EU ELV Compliant

Connector Style Plug

Number of Positions 15

Power/Signal/Coax Combination No

Shell Size 2

Contact Style Crimp Snap-In



PRODUCT DRAWING





◆ 3D PDF

DOCUMENTATION

Product Drawings

AMPLIMITE PLUG ASSY WITHOUT SIZE 20 CRIMP TYPE PIN CONTACTS SERIES 109, SHELL SIZE 2

PDF

English

CAD Files

3D PDF

PDF

English

Customer View Model

3D_IGS.ZIP

English

2D_DXF.ZIP **English Customer View Model** 3D_STP.ZIP **English 3D PDF** PDF 3D **Customer View Model** 3D_IGS.ZIP **English Customer View Model** 3D_STP.ZIP **English Customer View Model** 2D_DXF.ZIP **English** Product Environmental Compliance **TE Material Declaration** MD_205164-1_11042011131 PDF **English REACH Substance Communication Document** RSCD_Cadmium PDF **English FEATURES** Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. **Product Type Features** Connector Style Plug **Shell Size** 2 **Blindmate** No **Product Type** Connector **Configuration Features Number of Positions** 15 Power/Signal/Coax Combination No **Body Features**

Customer View Model

Non-Magnetic No Shell Material Steel Shell Plating Material Cadmium	
Retention Clip Material Stainless Steel	
Contact Features	
Contact Style Crimp Snap-In	
Contact Type Din	
Contact Type Pin	
Mechanical Attachment	
Mounting Hole Diameter 3.05 mm [.12 in]	
Operation/Application	
ULTRA-LITE Connector No	
Industry Standards	
NASA Qualification No	
Packaging Features	
Packaging Method Carton	
Statement of Compliance	
Statement of Compliance PDF	