

Atmel-ICE ★

50% off - Use Coupon Code :TP1747 Expires : 28-Feb-2018

Part Number: ATATMEL-ICE

**BUY
IT NOW**



Share

Atmel-ICE is a powerful development tool for debugging and programming ARM® Cortex®-M based SAM and AVR microcontrollers with on-chip debug capability.



Atmel-ICE supports:

Programming and on-chip debugging of all AVR 32-bit MCUs on both JTAG and aWire interfaces

Programming and on-chip debugging of all AVR XMEGA family devices on both JTAG and PDI 2-wire interfaces

JTAG and SPI programming and debugging of all AVR 8-bit MCUs with OCD support on either JTAG or debugWIRE interfaces

Programming and debugging of all SAM ARM Cortex-M based MCUs on both SWD and JTAG interfaces

Programming of all tinyAVR 8-bit MCUs with support for the TPI interface

For more information, please visit the [Online User Guide](#).

Atmel-ICE kit contents:

ATATMEL-ICE: Encapsulated main unit, USB cable, 10-lead squid cable, flat cable (10-pin 50mil connector and 6-pin 100mil connector) and adapter board (20-pin 100mil connector, 6-pin 50mil connector and 10-pin 100mil connector)

ATATMEL-ICE-BASIC: Encapsulated main unit, USB cable and flat cable (10-pin 50mil connector and 6-pin 100mil connector)

ATATMEL-ICE-PCBA: PCB assembly of main unit only, no cables

ATATMEL-ICE-ADPT: 10-lead squid cable, flat cable (10-pin 50mil connector and 6-pin 100mil connector) and adapter board (20-pin 100mil connector, 6-pin 50mil connector and 10-pin 100mil connector)

ATATMEL-ICE-CABLE: Flat cable (10-pin 50mil connector and 6-pin 100mil connector)

Features




Package Contents

Related Tools

- Supports JTAG, SWD, PDI, TPI, aWire, SPI, debugWIRE and UPDI interfaces
- Full source-level debugging in Atmel Studio
- Supports all built-in hardware breakpoints in the target microcontroller (number depends on the OCD module in the target)
- Up to 128 software breakpoints
- 1.62 to 5.5V target operation
- USB powered
- Provides both ARM Cortex Debug Connector (10-pin) pin-out and AVR JTAG connector pin-out

Documentation & Software

[Back To Top](#)

Documents	Last Updated	Size	
★ Data Gateway Interface User's Guide	10/18/2017 1:40:34 AM	224KB	
★ DGLlib dll	9/13/2017 8:54:12 PM	704KB	
★ Atmel-ICE User Guide	3/2/2017 11:36:10 AM	2MB	
★ DGLib User Guide	3/1/2017 2:26:43 PM	262KB	

